



2/3" 8.0 Megapixel

FM1214-8M




Format (inch)		2/3
Focal Length (mm)		12
Aperture (Close)		F1.4-22
Angle of View (°)	2/3"	40.8°×31°
	1/2"	30°×22.6°
	1/3"	22.6°×17°
M.O.D . (m)		0.1
Optical Distortion (M.O.D=1m)		-1%
Filter Size(mm)		M46×P0.75
Maximum Diameter (mm)		Φ49×68.5
Mount		C
Weight (g)		258

FM1614-8M




Format (inch)		2/3
Focal Length (mm)		16
Aperture (Close)		F1.4-22
Angle of View (°)	2/3"	30.8°×23.4°
	1/2"	22.6°×17°
	1/3"	17°×12.8°
M.O.D . (m)		0.1
Optical Distortion (M.O.D=1m)		-0.50%
Filter Size(mm)		M46×P0.75
Maximum Diameter (mm)		Φ49×72.6
Mount		c
Weight (g)		302

FM2514-8M



Format (inch)		2/3
Focal Length (mm)		25
Aperture (Close)		F1.4-22
Angle of View (°)	2/3"	19.6°×14.8°
	1/2"	14.4°×10.8°
	1/3"	10.8°×8.1°
M.O.D . (m)		0.1
Optical Distortion (M.O.D=1m)畸变		0.50%
Filter Size(mm)		M46×P0.75
Maximum Diameter (mm)		Φ49×78.3
Mount		c
Weight (g)		325


FM3514-8M



Format (inch)		2/3
Focal Length (mm)		35
Aperture (Close)		F1.4-22
Angle of View (°)	2/3"	14.2°×10.8°
	1/2"	10.4°×7.8°
	1/3"	7.8°×5.9°
M.O.D . (m)		0.2
Optical Distortion (M.O.D=1m)畸变		0.20%
Filter Size(mm)		M46×P0.75
Maximum Diameter (mm)		Φ49×52.1
Mount		c
Weight (g)		217


2/3" 5.0 Megapixel

FM0614-5ML



Format (inch)		2/3"
Focal Length (mm)		6
Aperture (Close)		F1.4-C
Angle of View (°)	1"	
	3/4"	
	2/3"	68.5x54.8
M.O.D . (m)		0.1
Optical Distortion (M.O.D=1m)畸变		
Filter Size(mm)		
Maximum Diameter (mm)		Φ30x44.6
Mount		C
Weight (g)		52


FM0814-5ML



Format (inch)		2/3"
Focal Length (mm)		8
Aperture (Close)		F1.4-16
Angle of View (°)	1"	
	3/4"	
	2/3"	67x55x42
M.O.D . (m)		0.1
Optical Distortion (M.O.D=1m)畸变		
Filter Size(mm)		
Maximum Diameter (mm)		Φ45.2x67
Mount		c
Weight (g)		260


1" 5.0 Megapixel

FE0814-5ML




Format (inch)		1"
Focal Length (mm)		8
Aperture (Close)		F1.4-16
Angle of View (°)	1"	90x77x59
	3/4"	
	2/3"	
M.O.D . (m)		0.2
Optical Distortion (M.O.D=1m)畸变		
Filter Size(mm)		
Maximum Diameter (mm)		$\Phi 57.5 \times 63.8$
Mount		c
Weight (g)		252

FE1214-5ML




Format (inch)		1"
Focal Length (mm)		12
Aperture (Close)		F1.4-C
Angle of View (°)	1"	66x49.6x43
	3/4"	
	2/3"	
M.O.D . (m)		0.3
Optical Distortion (M.O.D=1m)畸变		
Filter Size(mm)		
Maximum Diameter (mm)		Φ50x66.6
Mount		c
Weight (g)		248

FE1620-5ML




Format (inch)		1"
Focal Length (mm)		16
Aperture (Close)		F2.0-C
Angle of View (°)	1"	52.5x43x32.5
	3/4"	
	2/3"	
M.O.D . (m)		0.4
Optical Distortion (M.O.D=1m)		
Filter Size(mm)		
Maximum Diameter (mm)		Φ41.6x55.65
Mount		c
Weight (g)		172

FE2514-5ML




Format (inch)		1"
Focal Length (mm)		25
Aperture (Close)		F1.4-C
Angle of View (°)	1"	35.5x28.5x21.5
	3/4"	
	2/3"	
M.O.D . (m)		0.5
Optical Distortion (M.O.D=1m)		
Filter Size(mm)		
Maximum Diameter (mm)		Φ39x39.6
Mount		C
Weight (g)		112

FE3520-5ML



Format (inch)		1"
Focal Length (mm)		35
Aperture (Close)		F2.0-C
Angle of View (°)	1"	26x22.5x17.5
	3/4"	
	2/3"	
M.O.D . (m)		0.5
Optical Distortion (M.O.D=1m)		
Filter Size(mm)		
Maximum Diameter (mm)		Φ37x41
Mount		c
Weight (g)		100


FE5020-5ML



Format (inch)		1"
Focal Length (mm)		50
Aperture (Close)		F2.0-C
Angle of View (°)	1"	15x12.3x9
	3/4"	
	2/3"	
M.O.D . (m)		0.5
Optical Distortion (M.O.D=1m)		
Filter Size(mm)		
Maximum Diameter (mm)		Φ40x59.1
Mount		c
Weight (g)		200

4/3" 8.0 Megapixel

FF2220-8ML



Format (inch)		4/3"
Focal Length (mm)		22
Aperture (Close)		F2.0-C
Angle of View (°)	4/3"	55.5x45.5x34.5
	1"	
	3/4"	
M.O.D . (m)		0.5
Optical Distortion (M.O.D=1m)		
Filter Size(mm)		
Maximum Diameter (mm)		Φ45.5x78.5
Mount		c
Weight (g)		290

FF3520-8ML



Format (inch)		4/3"
Focal Length (mm)		35
Aperture (Close)		F2.0-C
Angle of View (°)	4/3"	35x26.5x20.5
	1"	
	3/4"	
M.O.D . (m)		0.4
Optical Distortion (M.O.D=1m)		
Filter Size(mm)		
Maximum Diameter (mm)		Φ40x55.65
Mount		C
Weight (g)		165



New Lenses are updating...

For more information, please email us by: sales@soyocctv.com

